Revision No. 3





# SAFETY DATA SHEET PolyPlus SF (resin component part A)

SDS No: HUK13

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1 Product Identifier

Product name PolyPlus SF(resin component part A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive

1.3 Details of the supplier of the safety data sheet

**Supplier** Leviat Limited

The Mille

1000 Great West Road (10th Floor)

Brentford London TW8 9DW

Tel: +44 (0) 20 8735 5200 Fax: +44 (0) 20 8735 5201 Email: sales.helifix.uk@leviat.com

Contact person sales.helifix.uk@leviat.com

1.4 Emergency telephone number

+44 (0) 020 8735 5200 Mon - Fri 09:00 - 17:00

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

**Health hazards** Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Environmental hazards Not Classified

2.2. Label elements

**Pictogram** 



Signal word Warning

**Hazard statements** H226 Flammable liquid and vapour.

H315 Causes skin irritation.


H319 Causes serious eye irritation.

**Precautionary statements** P280 Wear protective gloves/protective clothing / eye protection / face protection

P302+P352 IF ON SKIN: Wash with plenty of water

Revision Date: 25/04/2022 Revision No. 3







# SAFETY DATA SHEET PolyPlus SF (resin component part A)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice / attention. P337+P313 If eye irritation persists: Get medical advice / attention.

P403+P235 Store in a well-ventilated place. Keep cool.

Supplementary precautionary

**Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P264 Wash contaminated skin thoroughly after handling.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam. Carbon dioxide, dry powder or water fog to

extinguish.

P501 Dispose of contents / container in accordance with national regulations.

#### 2.3. Other hazards

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

VINYL TOLUENE 10-20%

**CAS number:** 25013-15-4 **EC number:** 246-562-2 **REACH registration number:** 01-2119622074-50-XXXX

Classification Flam. Liq. 3 - H226 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304

The full text for all Hazard Statements are displayed in Section 16

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort

continues.

**Ingestion** Never give anything by mouth to an unconscious person. Do not induce vomiting.

Rinse mouth thoroughly with water. Get medical attention if any discomfort

continues.

Skin contact Remove affected person from source of contamination. Remove contaminated

clothing. Wash skin thoroughly with soap and water. Get medical attention if any

discomfort continues.

Revision No. 3





# SAFETY DATA SHEET PolyPlus SF (resin component part A)

SDS No: HUK13

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if

irritation persists after washing. Show this Safety Data Sheet to the medical

personnel.

4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Irritation of nose, throat and airway.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** May cause skin irritation/eczema.

**Eye contact** Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor**No specific recommendations. If in doubt, get medical attention promptly.

#### **SECTION 5: FIRE FIGHTING MEASURES**

5.1. Extinguishing media

**Suitable extinguishing media** Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

**Specific hazards** No unusual fire or explosion hazards noted.

Hazardous combustion

Oxides of carbon.

products

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate

protective clothing.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

**Environmental precautions** Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect and place in suitable waste disposal containers and seal securely. For waste

disposal, see Section 13.

Revision No. 3





# SAFETY DATA SHEET PolyPlus SF (resin component part A)

SDS No: HUK13

6.4. Reference to other sections

**Reference to other sections** Wear protective clothing as described in Section 8 of this safety data sheet. For

waste disposal, see Section 13.

#### **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

**Usage precautions**Do not use in confined spaces without adequate ventilation and/or respirator.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place. Keep

away from oxidising materials, heat and flames.

Storage class Chemical storage.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

**VINYL TOLUENE (CAS: 25013-15-4)** 

**DNEL** Industry - Inhalation; Long term systemic effects: 37 mg/m<sup>3</sup>

Industry - Inhalation; Long term local effects: 37 mg/m<sup>3</sup>

**REACH** dossier information

PNEC - Fresh water; 0.0498 mg/l

- Marine water; 0.002 mg/l

- Intermittent release; 0.013 mg/l

- STP; 1 mg/l

Sediment (Freshwater); 0.684 mg/kgSediment (Marinewater); 0.0684 mg/kg

- Soil; 0.133 mg/kg

**REACH** dossier information

**REACH** dossier information

# 8.2. Exposure controls

Protective equipment







Appropriate engineering Controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Revision No. 3





# **SAFETY DATA SHEET** PolyPlus SF (resin component part A)

SDS No: HUK13

Eye/face protection The following protection should be worn: Chemical splash goggles.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before

> eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent

drying of skin. When using do not eat, drink or smoke.

Respiratory protection No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

**Environmental exposure** 

controls

Keep container tightly sealed when not in use.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

**Appearance** Liquid

Colour Beige.

Odour Aromatic.

**Odour threshold** Not determined.

рΗ Not applicable.

**Melting point** Not determined.

Initial boiling point and

range

>165°C @

Flash point 53°C

**Evaporation rate** Not determined.

**Evaporation factor** Not determined.

Flammability (solid, gas) Not determined.

**Upper/lower flammability** 

or explosive limits

Not determined.

Other flammability Not determined.

Vapour pressure 6 hPa @ 20°C

Vapour density Not determined.

Revision No. 3





# SAFETY DATA SHEET PolyPlus SF (resin component part A)

SDS No: HUK13

**Relative density** 1.65 - 1.75 @ 20°C

Bulk density Not applicable.

Solubility(ies) Insoluble in water

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

Decomposition temperature

Not determined.

Viscosity

> 60 S ISO2431

**Explosive properties** No information available.

**Oxidising properties**Does not meet the criteria for classification as oxidising.

9.2. Other information

## **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

**Reactivity** The following materials may react with the product: Organic peroxides/hydroperoxides.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Does not decompose when used and stored as recommended.

10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Organic peroxides/hydroperoxides.

10.6. Hazardous decomposition products

Hazardous decomposition Oxides of carbon.

products

# **SECTION 11: TOXICOLOGICAL INFORMATION**

### 11.1. Information on toxicological effects

Acute toxicity - inhalation

ATE inhalation (vapours 79.09

mg/l)

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Coughing.

**Ingestion** May cause discomfort if swallowed.

Revision No. 3





# SAFETY DATA SHEET PolyPlus SF (resin component part A)

SDS No: HUK13

**Skin contact** Causes skin irritation.

**Eye contact** Irritating to eyes.

Acute and chronic health

Hazards

Irritating to skin. Irritating to eyes.

**Route of entry** Skin and/or eye contact.

**Medical symptoms** Irritation of eyes and mucous membranes. Irritation of nose, throat and airway. Skin irritation.

**Medical considerations** Skin disorders and allergies.

11.0

Toxicological information on ingredients.

**VINYL TOLUENE** 

Acute toxicity - inhalation

ATE inhalation (vapours

mg/l)

Carcinogenicity

**IARC carcinogenicity** IARC Group 3. Not classified as to its carcinogenicity to humans.

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

Ecological information on ingredients.

## **VINYL TOLUENE**

Acute toxicity – fish LC50, 96 hours: 23.4 mg/l, Pimephales promelas (Fat-head Minnow)

12.2. Persistence and degradability

12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient Not determined.

**Ecological information on ingredients.** 

**VINYL TOLUENE** 

Partition coefficient log Pow: 3.36

12.4. Mobility in soil

**Mobility** Not applicable.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB

assessment.

Revision No. 3





# SAFETY DATA SHEET PolyPlus SF (resin component part A)

SDS No: HUK13

12.6. Other adverse effects

Other adverse effects Not applicable.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

**General information** Dispose of waste product or used containers in accordance with local regulations

**Disposal methods** Dispose of waste via a licensed waste disposal contractor.

## **SECTION 14: TRANSPORT INFORMATION**

Road transport notes Not regulated

Rail transport notes Not regulated

14.1. UN number

**UN No. (IMDG)** 1866 **UN No. (ICAO)** 1866

14.2. UN proper shipping name

Proper shipping name (IMDG) RESIN SOLUTION

Proper shipping name (ICAO) RESIN SOLUTION

14.3. Transport hazard class(es)

IMDG class 3

ICAO class/division 3

**Transport labels** 



14.4. Packing group

IMDG packing group

ICAO packing group

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Ems F-E, S-E

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

Annex II of MARPOL 73/78 and

The IBC Code

Not relevant

Revision No. 3





# SAFETY DATA SHEET PolyPlus SF (resin component part A)

SDS No: HUK13

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation (EU) No 2015/830

**Guidance** Workplace Exposure Limits EH40.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## **SECTION 16: OTHER INFORMATION**

Revision date 25/04/2022

**Revision** 3 **SDS number** HUK15

Hazard statements in full

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

## Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.